



AGGREGATE DITCH CHECK





ROLLED EXCELSIOR OR STRAW BALES FOR DITCH CHECK

GENERAL NOTES

The dimensions and installation methods for ditch checks shall be the same for perimeter erosion barriers and inlet and outlet protection unless otherwise specified.

All dimensions are in millimeters (inches) unless otherwise shown.


DATE	REVISIONS
1-1-02	Rev. ditch ck details
	& added perimeter
	erosion barrier detail.
1-1-99	Clar. ditch check dimen.
	Rev. filter fence sym. &
	iplat & pipa prot datail

TEMPORARY EROSION CONTROL SYSTEMS


(Sheet 1 of 3)

STANDARD 280001-02

(W) Illinois Department of Transportation		
PASSED Jonuary 1, 2002 Rogan Jakel ENGINEER OF POLICY AND PROCEDURES	ISSUED	
APPROVED January 1. 2002 Michael J. Hine ENGINEER OF DESIGN AND ENVIRONMENT	1-1-97	



URETHANE FOAM/GEOTEXTILE DITCH CHECK




SILT FILTER FENCE AS A PERIMETER EROSION BARRIER


TEMPORARY EROSION CONTROL SYSTEMS

(Sheet 2 of 3)

STANDARD 280001-02



INLET AND PIPE PROTECTION



ELEVATION PLAN

SEDIMENT BASIN

TEMPORARY DITCHES FOR CUT & FILL SECTIONS

TEMPORARY EROSION

CONTROL SYSTEMS

(Sheet 3 of 3)

STANDARD 280001-02